







TELELECTRONICS




connettori e accessori per COB STRIP LED

foto	codice		€
	U-B06/08/10	1.: connettore STRIP/STRIP SMD SINGOLO COLORE COB 2.: PCB connect PCB 3.: dimensioni L16.25X4cm 4.: Cable: 18-20-22 AWG 5. 6/8/10mm IP20 6. Max. current: 5A	€ 0,60
	U-C06/08/10	1.: connettore STRIP/STRIP SMD SINGOLO COLORE COB 2.: PCB connect PCB & PCB 3.: dimensioni L16.25X4cm, 4.: Cavo 18-20-22 AWG L=15CM 5. 6/8/10mm IP20 6. Max. current: 5A	€ 0,80
	U-BC06/08/10	1.: connettore STRIP/STRIP SMD SINGOLO COLORE COB 2.: PCB connect PCB & PCB 3.: dimensioni L16.25X4cm 4.: cavo 18-20-22 AWG L=15CM 5. 6/8/10mm IP20 6. Max. current: 5A	€ 1,00
	U-BC06/08/10-90	1.: connettore STRIP/STRIP SMD SINGOLO COLORE COB 2.: PCB connect PCB & PCB 3.: dimensioni L16.25X4cm 4.: cavo 18-20-22 AWG 5. 6/8/10mm IP20 6. Max. current: 5A	€ 1,00


These connectors are disposable
How to use?



COB Led strips

foto	codice	qta' led / mt	larghezza PCB	taglio minimo	potenza	tensione	CRI	colore °K	Lumen +/-10% (LM/M)	Luminous Efficiency +/-10% (LM/W)	IP	€ / 5 mt
	U-COBW378-2008-24V	378	8	55,55	10	24V	> 90	2700/3000/4000/5000/6500	1000-1100	90~100	IP20	€ 40,00
	U-COBW320-2008-24V	320	8	50,00	4,5	24V	> 80					€ 30,00
	U-COBW360-2008-12V	360	8	/	10	12V	> 90					€ 30,00
	U-COBW504-2008-12V	504	8	35,70	10	12V	> 90					€ 50,00
	U-COBW546-2010-24V	546	10	38,45	16	24V	> 90					€ 50,00
	U-COB ^B 512-2008-24V	512	8	62,50	10	24V	/	/	/	85~90	IP20	€ 60,00
	U-COB ^G 512-2008-24V											€ 60,00
	U-COB ^Y 512-2008-24V											€ 60,00
	U-COB ^R 512-2008-24V											€ 60,00
	U-COBW512-2008-24V	10	62,50	10	24V	90	2700/3000/4000/5000/6500	1000-1100	90~100	€ 60,00		
	U-COBW512-2010-24V							1000-1100		€ 60,00		
	U-COBW528-2008-24V-C	528	8	11,36	10	24V	80	2700/3000/4000/5000/6500	1000-1100	90~100	IP20	€ 50,00
	U-COBW528-2008-12V-C		8	7,56	10	12V						€ 50,00
	U-COBW528-2008-24V		8	45,45	10	24V						€ 50,00
	U-COBW528-2010-12V		10	22,73	15	12V						€ 55,00
	U-COBW528-2010-24V		10	45,45	15	24V						€ 55,00
	U-COBW528-2010-12V-CC		10	22,73	10	12V						€ 70,00
	U-COBW528-20045-12V		5	22,73	5	12V						€ 50,00


SMD1808, Narrow PCB

foto	codice	qta' led / mt	larghezza PCB	taglio minimo	potenza	tensione	CRI	colore °K	Lumen +/-10% (LM/M)	Luminous Efficiency +/-10% (LM/W)	IP	€ / 5 mt
	U-1808W140-2003-24V	140	3	50,0	7,2	24V	> 90	2700/3000/4000/5000/6500	680-800	95-110	IP20	€ 25,00
	U-1808W210-2008-24V	210	8	33,3	9,6				900-1050	95-110		€ 30,00
	U-1808W280-2010-24V	280	10	25,0	14,4				1160-1550	95-110		€ 35,00
	U-1808W350-2010-24V	350	10	20,0	18,0				1700-2000	95-110		€ 40,00


SMD2110, Narrow PCB

foto	codice	qta' led / mt	larghezza PCB	taglio minimo	potenza	tensione	CRI	colore °K	Lumen +/-10% (LM/M)	Luminous Efficiency +/-10% (LM/W)	IP	€ / 5 mt
	U-2110W120-2004-24V	120	4	25,0	7,2	24V	90	2700/3000/4000/5000/6500	1500-1650	90	IP20	€ 30,00
	U-2110W180-2010-24V	180	10	10,0	12,0		90		1520-1680	90		€ 45,00
	U-2110W240-2006-24V	240	6	50,0	15,0		90		620-1300	85		€ 40,00
	U-2110W240-2010-24V	240	10	50,0	15,0		90		650-1320	90		€ 50,00
	U-2110W280-2008-24V	280	8	25,0	18,0		90		1500-1650	90		€ 45,00
	U-2110W280-2010-24V	280	10	10,0	18,0		90		1520-1680	90		€ 50,00
	U-2110W300-2010-24V	300	10	50,0	18,0		90		620-1300	85		€ 60,00
	U-2110W560-2010-24V	560	10	50,0	18,0		90		650-1320	90		€ 85,00
	U-2110W700-2010-24V	700	10	25,0	18,0		90		680-1350	90		€ 95,00


RGB SMD3838, Narrow PCB

foto	codice	qta' led / mt	larghezza PCB	taglio minimo	potenza	tensione	CRI	colore °K	Lumen +/-10% (LM/M)	Luminous Efficiency +/-10% (LM/W)	IP	€ / 5 mt
	U-3838RGB120-2005-24V	120	5	50	10	24V	/	RGB	/	/	IP20	€ 55,00
	U-3838RGB120-2008-24V	120	8	50	14		/	RGB	/	/		€ 55,00
	U-3838RGB144-2010-24V	144	10	42	14		/	RGB	/	/		€ 70,00

1led/cut

foto	codice	qta' led / mt	larghezza PCB	taglio minimo	potenza	tensione	CRI	colore °K	Lumen +/-10% (LM/M)	Luminous Efficiency +/-10% (LM/W)	IP	€ / 5 mt
	U-2835W60-2008-12V	60	8	16,67	7,2	12V	>90	2700/3000/4000/5000/6500	580-720	80-95	IP20	€ 22,00
	U-2835W60-2008-24V	60	8	16,67	7,2	24V	>90		580-720	80-95		€ 25,00
	U-2835W120-2008-12V	120	8	8,33	9,6	12V	>90		750-900	80-95		€ 30,00
	U-2835W120-2008-24V	120	8	8,33	9,6	24V	>90		750-900	80-95		€ 35,00
	U-5050W72-2012-24V	72	12	13,90	14,4	12	>90		1150-1250	80-95		€ 35,00

Dream color RGB flexible strips

foto	codice	qta' led / mt	larghezza PCB	taglio minimo	potenza	tensione	CRI	colore °K	Lumen +/-10% (LM/M)	Luminous Efficiency +/-10% (LM/W)	IP	€ / 5 mt
	U-IC5050RGB144-2012-5V	144	12	6,9	43,0	5	/	RGB	/	/	IP20	€ 275,00
	U-IC5050RGB60-2008-5V	60	8	16,7	14,0	5	/	RGB	/	/		€ 120,00
	U-IC5050W48-2012-24V	48	12	500,0	12,0	24	/	27/30/40/50/60	/	/		€ 80,00
	U-IC5050RGB48-2010-24V	48	10	500,0	12,0	24	/	RGB	/	/		€ 80,00